

# PERIO, ORAL SURGERY & IMPLANTOLOGY

- ✓ Deliver chairside on upper or lower arch, to keep teeth out of occlusion during surgical healing phase.
- ✓ All-on-4 implants: deprogram with QuickSplint®, and have the patient wear the QuickSplint® to protect (and adjust to) provisionals. Reline QuickSplint® during each treatment phase so the patient habituates to occlusal changes.
- ✓ Address jaw fatigue from long procedures, prevent jaw strain for patients with limited range of motion.

By sending patients home with QuickSplint® for protection and healing, you are providing a higher level of professional service



# ENDODONTICS

- ✓ **Diagnostic aid** - faced with nonspecific test results, use QuickSplint® to test for myofascial trigger activity. Reduction in muscle hyperactivity can help clarify the differential diagnosis.
- ✓ **Post-endodontic treatment** - use QuickSplint® immediately after therapy to give the instrumented tooth time to fully heal from apical inflammation and reduce shifting into hyperocclusion.
- ✓ **Post-op healing aid** after a long dental procedure to prevent trismus, for patients with limited range of motion.



Provide your patient with a QuickSplint when you refer for RCT, to reduce potential myofascial tension.



# FUTAR® & PANASIL®

- ✓ Kettenbach's Panasil® Putty or Futar® Bite Registration materials are the perfect viscosity to ensure a secure fit and patient comfort.
- ✓ Each 50ml cartridge will make 6 QuickSplint liners.



QuickSplint® and Speed2Treat® are registered trademarks of Orofacial Therapeutics, Inc.



QuickSplint® is an interim, multi-purpose, anterior bite plane that takes only minutes to fabricate. Whether you are a general dentist or a specialist, QuickSplint® comes to your aid to help **DIAGNOSE, TREAT, PROTECT** and **HEAL**.

*Kettenbach is excited to be the exclusive distributor of a product with so many clinical applications in your practice.*



Visit our webshop at [www.kettenbachusa.com/quicksplint](http://www.kettenbachusa.com/quicksplint) or contact your Kettenbach rep.

## Custom-fit Chairside In Less Than 5 Minutes

Use QuickSplint® with Futar fast-set bite registration material or Panasil putty. Designed primarily for wear during sleep, QuickSplint® fits from canine to canine and is highly retentive without adhesives. You can easily reline the QuickSplint® during treatment phases. Fits upper or lower arch.




### FILL

Use fast-set heavy body VPS or putty



### ALIGN

Align on **upper or lower** arch, supporting the tray while the patient bites down to level on the occlusal table



### TRIM

Trim with scalpel when VPS is set. QuickSplint® is ready to wear!

Watch videos on how to make a QuickSplint®



QuickSplint® is for interim use and is not a substitute for a custom-made full arch occlusal splint.

## JAMSS PROTOCOL

**Jaw Joint and Muscle Sprain/Strain (JAMSS)** is the diagnostic term for acute trauma to the TMJ complex.

The **JAMSS Protocol** outlines a simple 2-4 week care plan using QuickSplint and self-care measures. Download protocol documents, Jaw Rx-exercises and patient self-care sheets.

The **SAFE Protocol** outlines steps to identify high risk patients who might develop JAMSS from hyperextension of the jaw during long dental procedures.



Learn more at [QuickSplint.com/resources](http://QuickSplint.com/resources)

## PARAFUNCTION RISK PROTOCOL

The **Parafunction Risk Rating (PRR) Protocol** enables dentists an ideal solution to communicate with patients and raise awareness about the seriousness of their bruxism. It is ideal for case planning and informed consents for cosmetic and restorative patients.




The protocol is available as a free download.



## RESTORATIVE DENTISTRY

- ✓ **Deprogramming and bite records.** QuickSplint® levels the occlusal plane and seats the condyles, allowing you to take reliable centric bite records
- ✓ **Diagnose severity of parafunction.** Patients engage in their bruxism when they wear QuickSplint® for a short-term trial. This leads to greater case acceptance and compliance.
- ✓ **Interim TMD aid.** Treat acute jaw sprain/strain immediately. QuickSplint® aids your differential diagnosis of muscle versus joint conditions. Provide comfort until full arch appliance is ready.
- ✓ **Temporization.** Reline the QuickSplint® during treatment phases for occlusally sensitive patients.
- ✓ **Assist with clear aligner trays** - use QuickSplint® and putty over the trays to interfere with clenching behavior at night. Reline the QuickSplint® for each change in aligners.



There are many circumstances where keeping teeth out of occlusion is advantageous, but there has never been such an immediate practical solution to the problem until now!